



Rheinland Elektro Maschinen

# WELDING INVERTERS

## Welding inverter WME156

WME156 is equipped with:

- Compact and portable inverter for MMA, TIG welding
- Durable and impact resistance design with OKC cable connectors
- Easy to operate - only current setting needed
- Fan cooling
- Welds most electrodes from  $\varnothing$  1,6 - 3,2 mm
- Capable to work on generator power source
- Thermal protection
- Automatic arc force
- Full color packaging

### TECHNICAL DATA

Order No.:	301402002
MAIN SUPPLY (V/Ph Hz)	230/1 $\pm$ 15% 50/60
FUSE, SLOW (A)	16
PRIMARY CURRENT (A)	25
MAX. OUTPUT AT 15% DUTY CYCLE (MMA) A/V	140/25,6
MAX. OUTPUT AT 60% DUTY CYCLE (MMA) A/V	81/23,6
MAX. OUTPUT AT 100% DUTY CYCLE (MMA) A/V	63/22,5
MAX. OUTPUT AT 15% DUTY CYCLE (TIG) A/V	140/15,6
MAX. OUTPUT AT 60% DUTY CYCLE (TIG) A/V	81/13,6
MAX. OUTPUT AT 100% DUTY CYCLE (TIG) A/V	63/12,5
SETTING RANGE MMA (A)	20-140
OPEN CIRCUIT VOLTAGE (V)	68
POWER FACTOR AT MAX. CURRENT	0,85
DIAMETER OF ELECTRODES (mm)	1,6-3,2
OKC	16
PROTECTION CLASS	IP21S
DIMENSIONS (LxBxH mm)	230x363x185
WEIGHT (kg)	6,0



### STANDARD EQUIPMENT

- MMA welding cable kit 1,2m
- returne cable kit (16 mm<sup>2</sup>) 1,9m
- Mask
- Brush

